

08 Strips & Profiles > 230V COB Flex Lightline

7872/W



COB LED strip 480LEDs/m, 12W/m, 230V, TRIAC Dimmable.

Supplied in 50 meters roll with 3M double face adhesive tape.

Supplied with EU plug and 1m cable.

Can be cut every 10 cm.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Accessories



7872C



7872E



7872P

Physical Specification

Item Group

08 Strips & Profiles

Family

230V COB Flex Lightline

Order Code

7872/W

Material

Silicone

Shape



Rectangular

Length	50000mm
Width	12mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes


Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W/m
IP Rating	IP66
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	800lm/m
Light Efficiency	67lm/W
CRI	90
Beam Angle	140°
Illumination Diagram	

Packing Info

Box Weight	0.102kg
Pcs/Carton	50
Barcode	5291889078531
HS Code	9405423100

Energy Label



Energy Class	G
--------------	---

Certification & Warranty

Warranty	3 years
Weee Directive	Yes

switch to
one light!

one
LIGHT

