

22 Emergency Lights > Emergency LED Recessed Spot

89002B



1,5W Emergency LED recessed, IP20, ideal for corridors. Non-maintained with self-test.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions





Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Recessed Spot
Order Code	89002B
Material	Plastic
Shape	Circular
Cutout Hole Width	35
Cutout Hole Length	120
Recessed Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Voltage
Safety Class	
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
F Mark	

Gear	
Gear Type	Emergency Kit
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Housing Material	Plastic
Battery Capacity	2500mAh
Battery Voltage	3,6V
Operation Time	3 hours
Charging Time	8 hours

Non Maintained

Yes

## Illumination Data

Colour Temperature

4000K

Lumen Output

150lm

Light Efficiency

100lm/W

Beam Angle

125°

Illumination Diagram



## Packing Info

Box Weight

0.215kg

Pcs/Carton

20

Barcode

5291889078043

HS Code

9405114090

## Certification & Warranty

Warranty

2 years

switch to  
**one light!**

one  
LIGHT

