

22 Emergency Lights > Emergency LED Recessed Spot

89002C



3W Emergency LED recessed, IP20, ideal for corridors. Non-maintained with self-test.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions





Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Recessed Spot
Order Code	89002C
Material	Plastic
Shape	Circular
Cutout Hole Width	45
Cutout Hole Length	130
Recessed Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Voltage
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
F Mark	

Gear	
Gear Type	Emergency Kit
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Housing Material	Plastic
Battery Capacity	5000mAh
Battery Voltage	3,6V
Operation Time	3 hours

Charging Time

8 hours

Non Maintained

Yes

Illumination Data

Colour Temperature

4000K

Lumen Output

300lm

Light Efficiency

100lm/W

Beam Angle

155°

Illumination Diagram



Packing Info

Box Weight

0.320kg

Pcs/Carton

20

Barcode

5291889078050

HS Code

9405114090

Certification & Warranty

Warranty

2 years

switch to
one light!

one
LIGHT

