

23 Drivers>The 500mA Range Constant current

## 89030C



IP20 Constant current LED driver, non-dimmable, for 500mA LED spots / LED fittings, 20-30W.


Complies with standard EN61347-1 and any other specific standards.



### Downloads



### Dimensions




### Physical Specification

|            |                                  |
|------------|----------------------------------|
| Item Group | 23 Drivers                       |
| Family     | The 500mA Range Constant current |
| Order Code | 89030C                           |
| Material   | Plastic                          |
| Shape      | Rectangular                      |
| Length     | 160mm                            |
| Width      | 58mm                             |
| Height     | 20mm                             |
| Indoor     | Yes                              |

### Electrical Characteristics

## Gear

|                     |   |
|---------------------|---|
| Gear Type           | Led Driver  |
| Input Voltage       | 220-240V  |
| 50 Hz               | Yes   |
| 60 Hz               | Yes   |
| Power(Watts)        | 14-28W  |
| Power Factor        | 0,5   |
| Constant Current    | Yes   |
| 500mA               | 28-56V  |
| IP Rating           | IP20  |
| Safety Class        |  |
| Dimmable            | No  |
| Ambient Temp        | -20~50°C  |
| Operating Temp      | 80°C  |
| Housing Material    | Plastic   |
| Output Terminal     | Cable   |
| Fast Connector      | Yes   |
| Fast Connector Type | One Light 350/500   |
| Brand               | One Light Ltd   |
| Protection          | Short Circuit / Overload / Overheat Protection                                      |

## Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.172kg       |
| Pcs/Carton | 100           |
| Barcode    | 5291889029250 |
| HS Code    | 8504408390    |

## Certification & Warranty

switch to  
**one light!**

one  
LIGHT

